


Housing	Bearings	Fixing rings (2x)	Regulation disc
SNC228-528	22228	FR 250x15	RDC228
	23228	FR 250x5	

PDF technical sheet SNC228



Split plummer block housings SNC (D)

split plummer block for bearings with cylindrical bore, made of grey cast, for grease lubrication



Product definition	
d	5.5118 "
d1	6.1024 "
a	19.6850 "
b	5.9055 "
c	1.9685 "
g	3.8583 "
h	5.9055 "
h1	11.8898 "
l	8.0709 "
l1	8.7008 "
l2	11.2205 "
l3	241
m	16.5354 "
m1	15.7480 "
m3	12.8740 "
n1	3.6220 "
m2	18.0315 "
n2	4.2520 "
diameter dowel pins	0.3150 "
u	1.3780 "
v	1.6535 "
D	9.8425 "
B	0.8661 "
housing weight	149.91 oz
Material of Housing	grey cast
initial grease quantity	2,000 ccm
Brand	SNR

Sealings and cover	
sealing DS	SC 228 DS
sealing LA	SC 228 LA
sealing SV	SC 228 SV
sealing TA	SC 228 TA
sealing FS	SC 228 FS
end cover EC	SC228528EC
Vring option	V160A

Screws	
fixing bolts G	M30
recommended torque	1,005 Nm
Connection bolts	M24x140
recommended torque	500 Nm
maximum loads 120°	360 kN
maximum loads 150°	210 kN
maximum loads 180°	180 kN

Breaking loads	
P 0°	1,250 kN
P 55°	1,060 kN
P 90°	630 kN
P 120°	475 kN
P 150°	430 kN
P 180°	530 kN