


Housing	Bearings	Fixing rings (2x)	Regulation disc
SNC232-532	22232	FR 290x17	RDC232
	23232	FR 290x5	

PDF technical sheet SNC232



Split plummer block housings SNC (D)

split plummer block for bearings with cylindrical bore, made of grey cast, for grease lubrication



Product definition	
d	6.2992 "
d1	6.8898 "
a	21.6535 "
b	6.2992 "
c	2.3622 "
g	4.4882 "
h	6.6929 "
h1	13.5433 "
l	9.2520 "
l1	9.8819 "
l2	12.4803 "
l3	271
m	18.5039 "
m1	17.7165 "
m3	14.6457 "
n1	3.9370 "
m2	19.9213 "
n2	4.5669 "
diameter dowel pins	0.3150 "
u	1.3780 "
v	1.6535 "
D	11.4173 "
B	1.5748 "
housing weight	222.23 oz
Material of Housing	grey cast
initial grease quantity	3,000 ccm
Brand	SNR

Sealings and cover	
sealing DS	SC 232 DS
sealing LA	SC 232 LA
sealing SV	SC 232 SV
sealing TA	SC 232 TA
sealing FS	SC 232 FS
end cover EC	SC232532EC
Vring option	V180A

Screws	
fixing bolts G	M30
recommended torque	1,005 Nm
Connection bolts	M30x160
recommended torque	1,005 Nm
maximum loads 120°	730 kN
maximum loads 150°	532 kN
maximum loads 180°	360 kN

Breaking loads

P 0°	1,700 kN
P 55°	1,450 kN
P 90°	860 kN
P 120°	640 kN
P 150°	570 kN
P 180°	730 kN