


Housing	Bearings	Fixing rings (2x)	Regulation disc
SNC506-605	1305K	FR 62x7,5	RDC605
	2305K	FR 62x4	
	21305K	FR 62x7,5	

PDF technical sheet SNC605



Split plummer block housings SNC (D)

split plummer block for bearings on adapter sleeve, made of grey cast, for grease lubrication



Product definition	
d	0.7874 "
a	7.2835 "
b	2.0472 "
c	0.8661 "
g	1.2598 "
h	1.9685 "
h1	3.5039 "
l	3.0315 "
l1	3.5039 "
l2	5.6693 "
l3	95
m	5.9055 "
m1	5.1181 "
m3	4.4488 "
n1	0.9843 "
m2	6.7717 "
n2	1.4961 "
diameter dowel pins	0.1969 "
u	0.5906 "
v	0.7874 "
D	2.4409 "
z	0.0787 "
housing weight	8.11 oz
Material of Housing	grey cast
initial grease quantity	45 ccm
Brand	SNR

Sealings and cover	
sealing DS	SC 605 DS
sealing LA	SC 605 LA
sealing SV	SC 605 SV
sealing TA	SC 605 TA
sealing FS	SC 605 FS
end cover EC	SC506605EC
Vring option	V20A

Screws	
fixing bolts G	M12
recommended torque	65 Nm
Connection bolts	M10x40
recommended torque	35 Nm
maximum loads 120°	60 kN
maximum loads 150°	35 kN
maximum loads 180°	30 kN

Breaking loads	
P 0°	200 kN
P 55°	170 kN
P 90°	100 kN
P 120°	80 kN
P 150°	67 kN
P 180°	85 kN