


Housing	Bearings	Fixing rings (2x)	Regulation disc
SNC510-608	1308K	FR 90x9	RDC608
	2308K	FR 90x4	
	21308K	FR 90x9	
	22308K	FR 90x4	

PDF technical sheet SNC608



Split plummer block housings SNC (D)

split plummer block for bearings on adapter sleeve, made of grey cast, for grease lubrication



Product definition	
d	1.3780 "
a	8.0709 "
b	2.3622 "
c	0.9843 "
g	1.6142 "
h	2.3622 "
h1	4.4488 "
l	3.5433 "
l1	4.0157 "
l2	6.1417 "
l3	108
m	6.6929 "
m1	6.2992 "
m3	5.1181 "
n1	1.3386 "
m2	7.4016 "
n2	1.7323 "
diameter dowel pins	0.1969 "
u	0.5906 "
v	0.7874 "
D	3.5433 "
z	0.1181 "
housing weight	11.99 oz
Material of Housing	grey cast
initial grease quantity	130 ccm
Brand	SNR

Sealings and cover	
sealing DS	SC 608 DS
sealing LA	SC 608 LA
sealing SV	SC 608 SV
sealing TA	SC 608 TA
sealing FS	SC 608 FS
end cover EC	SC510608EC
Vring option	V35A

Screws	
fixing bolts G	M12
recommended torque	65 Nm
Connection bolts	M12x55
recommended torque	65 Nm
maximum loads 120°	80 kN
maximum loads 150°	45 kN
maximum loads 180°	40 kN

Breaking loads	
P 0°	315 kN
P 55°	265 kN
P 90°	160 kN
P 120°	121 kN
P 150°	110 kN
P 180°	140 kN