


Befestigungsteile und Zubehör

Profilzylinder Typ A

Fußbefestigung

Maße [mm]

Teile-Nr.	Kolben Ø	AB Ø	AH	AO	AT	AU	TR	UH	H1	H2	Gewicht [g]
437.14-M	32	7	32	35	4	24	32	45	144	142	76
450.12-M	40	9	36	43	4	28	36	52	163	161	100
450.13-M	50	9	45	47	4	32	45	65	175	170	162
450.14-M	63	9	50	47	6	32	50	75	190	185	266
450.15-M	80	12	63	61	6	41	63	95	215	210	456
450.16-M	100	14	71	66	6	41	75	115	230	220	572
450.17-M	125	16	90	60	7	45	90	140	270	250	1130



Befestigungsteile und Zubehör


Profilzylinder Typ A

②

Schwenkgabelbefestigung

Maße [mm]

Teile-Nr.	Kolben Ø	B	D	E	ØG	H ₃	R	S			Gewicht [g]
437.84-M	32	45	26	22	10	142	10	10			116
437.85-M	40	52	28	25	12	160	12	10			160
437.86-M	50	60	32	27	12	170	12	12			252
437.87-M	63	70	40	32	16	190	16	12			394
437.88-M	80	90	50	36	16	210	16	16			670
450.36-M	100	110	60	41	20	230	20	16			1085
450.37-M	125	130	70	50	25	275	25	20			2000



Kombinationsmöglichkeiten / Gegenlager

Komplette Standard-Schwenkbefestigung ②+③




Befestigungsteile und Zubehör

Profilzylinder Typ A

③ Schwenkaugenbefestigung

Maße [mm]

Teile-Nr.	Kolben Ø	D	E	F	ØG	H	H ₃				Gewicht [g]
450.71-M	32	26	22	11	10	10	142				94
450.72-M	40	28	25	13	12	10	160				124
450.73-M	50	32	27	13	12	12	170				220
450.74-M	63	40	32	17	16	12	190				316
450.75-M	80	50	36	17	16	16	210				578
450.76-M	100	60	41	21	20	16	230				850
450.77-M	125	70	50	26	25	20	275				1590



Kombinationsmöglichkeiten / Gegenlager

Komplette Standard-Schwenkbefestigung ③+②




Befestigungsteile und Zubehör

Profilzylinder Typ A

Sphärische Schwenkaugenbefestigung

Maße [mm]

Teile-Nr.	Kolben Ø	E	F	H	H ₃	M	N				Gewicht [g]
450.91-M	32	22	16	10	142	10	14				106
450.92-M	40	25	19	10	160	12	16				142
450.93-M	50	27	19	12	170	12	16				236
450.94-M	63	32	24	12	190	16	21				336
450.95-M	80	36	24	16	210	16	21				572
450.96-M	100	41	30	16	230	20	25				840
450.97-M	125	50	36	20	275	25	31				1520



Hinweis

Kann **nicht** in Verbindung mit der Schwenkgabelbefestigung ② verwendet werden

Befestigungsteile und Zubehör


Profilzylinder Typ A

⑤

Gegenlager

Maße [mm]

Teile-Nr.	Kolben Ø	A	B	C	D	E	F	G	H	I	L	M	N	Gewicht [g]
437.23-M	32	26	19	7	10	25	20	32	37	41	18	8	10	96
437.24-M	40	28	26	9	12	32	32	45	54	52	25	10	12	216
437.25-M	50	32	26	9	12	32	32	45	54	52	25	10	12	212
437.26-M	63	40	33	11	16	40	50	63	75	63	32	12	15	440
437.27-M	80	50	33	11	16	40	50	63	75	63	32	12	15	464
450.260-M	100	60	44	14	20	50	70	90	103	80	40	16	22	985
450.270-M	125	70	44	14	25	50	70	90	103	80	40	16	22	1000



Kombinationsmöglichkeiten / Gegenlager

Komplette Winkel-Schwenkbefestigung ⑤+②



Befestigungsteile und Zubehör

Profilzylinder Typ A

Frontflansch / Bodenflansch

Maße [mm]

Teile-Nr.	Kolben Ø	A ₁	A	B	S	B ₁	ØD ₄	W!			Gewicht [g]
437.04-M	32	64	80	50	10	32	7	16			246
450.020-M	40	72	90	55	10	36	9	20			290
450.030-M	50	90	110	65	12	45	9	25			522
450.040-M	63	100	120	75	12	50	9	25			670
450.050-M	80	126	153	95	16	63	12	30			1420
450.060-M	100	150	178	115	16	75	14	35			2040
450.070-M	125	180	220	140	20	90	16	45			4300

