





ES 171

Gerade Schottverschraubung


Art.-Nr.	PN	D	M	S	SG	B	L	l ₁	T	t
ES 170	315	6	M 12x1,5	14	17	17	22,0	7,0	42,0	27,0
ES 171	315	8	M 14x1,5	17	19	19	23,0	8,0	42,0	27,0
ES 172	315	10	M 16x1,5	19	22	22	25,0	10,0	43,0	28,0
ES 173	315	12	M 18x1,5	22	24	24	25,0	10,0	44,0	29,0
ES 174	315	15	M 22x1,5	27	30	27	27,0	12,0	46,0	31,0
ES 175	315	18	M 26x1,5	32	36	32	30,0	13,5	49,0	32,5
ES 176	160	22	M 30x2,0	36	41	36	33,0	16,5	51,0	34,5



ES 181

Winkel-Schottverschraubung


Art.-Nr.	PN	D	M	S	SG	B	A	a	L	l ₁	T	t
ES 180	315	6	M 12x1,5	14	17	12	17,0	14,0	27,0	12,0	42,0	27,0
ES 181	315	8	M 14x1,5	17	19	12	19,0	17,0	29,0	14,0	42,0	27,0
ES 182	315	10	M 16x1,5	19	22	14	22,0	18,0	30,0	15,0	43,0	28,0
ES 183	315	12	M 18x1,5	22	24	17	24,0	20,0	32,0	17,0	44,0	29,0
ES 184	315	15	M 22x1,5	27	30	19	27,0	23,0	36,0	21,0	46,0	31,0
ES 185	315	18	M 26x1,5	32	36	24	32,0	24,0	40,0	23,5	49,0	32,5
ES 186	160	22	M 30x2,0	36	41	27	36,0	30,0	44,0	27,5	51,0	34,5



ES 201

Manometer-Anschlussverschraubung, Innengewinde zylindrisch

Art.-Nr.	PN	D	G	i	H	S	B	L	l ₁
ES 200	315	6,0	1/4	14,5	4,5	14	19	37,0	22,0
ES 201	315	8,0	1/4	14,5	4,5	17	19	37,0	22,0
ES 202	315	10,0	1/4	14,5	4,5	19	19	38,0	23,0
ES 203	315	12,0	1/4	14,5	4,5	22	19	38,0	23,0
ES 205	630	6,0	1/2	20,0	5,0	17	27	46,0	31,0
ES 206	630	8,0	1/2	20,0	5,0	19	27	46,0	31,0
ES 207	630	10,0	1/2	20,0	5,0	22	27	47,0	30,5
ES 208	630	12,0	1/2	20,0	5,0	24	27	47,0	30,5



ES 214

Reduzierungen

Art.-Nr.	PN	A	D	M	S ₁	S ₂	L
ES 210	315	8,0	6,0	M 14x1,5	17	14	38,0
ES 211	315	10,0	6,0	M 16x1,5	19	14	38,0
ES 212	315	10,0	8,0	M 16x1,5	19	17	38,0
ES 213	315	12,0	6,0	M 18x1,5	22	14	38,0
ES 214	315	12,0	8,0	M 18x1,5	22	17	38,0
ES 215	315	12,0	10,0	M 18x1,5	22	19	39,0
ES 216	315	15,0	6,0	M 22x1,5	27	14	38,0
ES 217	315	15,0	8,0	M 22x1,5	27	17	38,0
ES 218	315	15,0	10,0	M 22x1,5	27	19	39,0
ES 219	315	15,0	12,0	M 22x1,5	27	22	39,0
ES 220	315	18,0	6,0	M 26x1,5	32	14	39,0
ES 221	315	18,0	8,0	M 26x1,5	32	17	39,0
ES 222	315	18,0	10,0	M 26x1,5	32	19	40,0
ES 223	315	18,0	12,0	M 26x1,5	32	22	40,0
ES 224	315	18,0	15,0	M 26x1,5	32	27	42,0