

Drainprotector / Spillbarrier / Belly Patch / Drain Plug

Equipment to contain leakages, made of polyurethane

Created on: 15. 04. 2009 Reviewed on: 17. 01. 2010

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY

Trade name	Drainprotector / Spillbarrier / Belly Patch / Drain Plug		
REACH registration	Do not have to be registered according to REACH Registration (EC) No. 1907/2006 The product releases no substances under normal and reasonably foreseeable conditions of use (Reference to Article 7 (1) b).		
Use	Drain cover – Gully cover – Liquid barrier – Leak-proof drum seal - Sealing plug		
Supplier	RAW Handel und Beratungs GmbH Grünstraße 5 D-79232 March-Hugstetten Phone +49 (0) 7665 / 934 29 - 0 Fax +49 (0) 7665 / 934 29 - 25 These numbers will only be staffed during office hours.		
Responsible person	Mr J. Wittstock,	Phone +49 (0) 7665 / 934 29 - 0 These numbers will only be staffed during office hours.	
Qualified person	DiplIng. M. Fischer,	Phone +49 (0) 163 / 50 737 60 These numbers will only be staffed during office hours. E-mail: <u>sdb@raw-vertrieb.de</u>	
Emergency information (24 h)	Poison Information Center in Bonn,	Tel. +49 (0) 228 / 19240	

2. HAZARD IDENTIFICATION

The product is not classified as dangerous within the meaning of Directive 1999/45/EC.Not subject to labelling. In all cases please note the information of the Safety Data Sheet.Hazard symbol:Not applicableHazard warning label:Not applicableParticular risksFor humans and the environment:MoneNone

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical characterisation:

Sealing equipment for liquid containment made of polyurethane (All information given in this MSDS refers exclusively to cured and unheated materials).

Drainprotectors are silicone coated on one side in order to better roll them up. The handles of the Spillbarrier consist of polyamide. The belts of the Belly Patch are made of nylon.

The hook of the Drain Plugs Art. No. 68.10.40 up to 68.10.42 consists of steel treated with zinc and chrome. The hook of the Drain Plugs Art. No. 68.10.43 up to 68.10.44 consists of PVC coated steel.

Hazardous components:

None



Drainprotector / Spillbarrier / Belly Patch / Drain Plug

Equipment to contain leakages, made of polyurethane

Created on: 15. 04. 2009 Reviewed on: 17. 01. 2010

4. FIRST AID MEASURES

General information: After inhalation: After skin contact: After eye contact: No special measures are required. None In general, the product does not cause skin irritation. Rinse eyes with running water for several minutes holding eyelids well apart. In case of persistent symptoms, seek medical advice. In case of persistent symptoms, seek medical advice.

After ingestion:

5. FIRE FIGHTING MEASURES

Suitable extinguishing media

CO2, extinguishing powder or water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam. **Extinguishing media unsuitable for safety reasons**

None

Particular hazards posed by the substance, its combustion products or gases produced In case of fire following products can be released

Nitrogen oxides (Nox), isocyanate vapours, carbon monoxide and carbon dioxide, hydrogen cyanide (hydrocyanic acid HCN)(traces).

Special protective equipment for fire-fighters

Wear breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately: This must not be discharged into drains.

6. ACCIDENTAL RELEASE MEASURES

Safety measures: Environmental measures: Procedure for picking up/cleaning: Not required Avoid spillage into sewage system, surface water or ground water. Pick up mechanically.

7. HANDLING AND STORAGE

Handling

Information on safe handling Advice on fire and explosion protection **Storage** Requirements for storage rooms and vessels Advice on storage assembly Further information on storage conditions No special precautions are necessary.

No special precautions are necessary.

Only store in original container. Not required

Keep the product cool, dry and well sealed. Protect from heat and direct sunlight. Protect from air humidity and condensation water.



Drainprotector / Spillbarrier / Belly Patch / Drain Plug

Equipment to contain leakages, made of polyurethane

Created on: 15. 04. 2009 Reviewed on: 17. 01. 2010

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Additional information on plant design: Components with occupational exposure limits requiring monitoring:

Personal protective equipment:

No further data, see section 7.

The product does not contain any relevant amounts of substances requiring occupational exposure limits and monitoring. Observe general rules of health and safety at work as well as of industrial hygiene. Respiratory protection: Not required, if the room is well ventilated. Hand protection: Protective gloves against chemicals are not required. Eye protection: Not required Avoid eye contact. Wash hands before broaks and at the end of work

Further information:

Wash hands before breaks and at the end of work.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form: Colour: Odour: Melting point:

Boiling point: Flash point: Decomposition temperature: Autoignition: Explosion hazard: Density at 20 °C: Water solubility: Solid, in different forms Yellow / green Nearly odourless 190 °C It decomposes before melting Not determined Not applicable 130 °C The product can not ignite spontaneously The product is not explosive 1.05 up to1.25 g/cm3 Insoluble

10. STABILITY AND REACTIVITY

Thermal decomposition / conditions to avoid:
No decomposition if used as prescribed.
To avoid thermal decomposition, do not overheat the product.
Hazardous decomposition products:
Nitrogen oxides (Nox), isocyanate vapours, carbon monoxide and carbon dioxide, hydrogen cyanide (hydrocyanic acid HCN).
Materials to avoid:
Oxidants, strong acids, alkalis.
When the Drain Plugs are used, substances must be avoided that corrode the materials of hooks and handles.
Hazardous reactions:
No hazardous reactions are known.

11. TOXICOLOGICAL INFORMATION

Acute toxicity Primary irritation to eyes: to the skin: Sensitisation:

No irritant effect No irritant effect No sensitising effect known

RAW HANDEL UND BERATUNGS GMBH



Drainprotector / Spillbarrier / Belly Patch / Drain Plug

Equipment to contain leakages, made of polyurethane

Created on: 15. 04. 2009 Reviewed on: 17. 01. 2010

Additional toxicological information:

According to our experience and present state of knowledge, the product causes no adverse health effects if handled properly and used as prescribed.

12. ECOLOGICAL INFORMATION

Ecotoxic effects: Notes: None known Can be mechanically separated in sewage treatment plants.

13. DISPOSAL CONSIDERATIONS

Product Recommendation:

Should not be disposed of together with household waste. Do not empty into drains. The waste code number in the European list of waste is dependent on origin and production process.

European Waste Catalogue:

Uncleaned packaging Recommendation:

Disposal in accordance with official regulations.

14. TRANSPORT INFORMATION

GGVS/GGVE:	None	RID/ADR:	None
IMCO Code:	None	UN No.:	None
IATA No.:	None		

No dangerous good according to above mentioned regulations.

15. REGULATORY INFORMATION

Labelling in accordance with EC Directives:

The product is not classified and identified according to EC Directives / Laws. The general safety regulations for handling chemicals should be observed.

Hazard symbol: Hazard warning labelling: Water hazard class: Environmental pollution class:

Not applicable Not applicable WGK 1 (self-classification) The product is generally not dangerous.

16. OTHER INFORMATION

The information given above is based on our present level of knowledge and does not constitute an assurance of properties. No claim is made to exhaustiveness. The information should only be considered a general guideline. Existing laws and regulations must be observed by the recipients of our product at their own responsibility. The company cannot be held responsible for damage resulting from the use of the product.