

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 245

Version	Revision Date:	Date of last issue: 30.10.2023	Print Date:
3.1	31.10.2024	Date of first issue: 30.05.2016	14.01.2025

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Product name : OKS 245

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Lubricant

Recommended restrictions on use : Restricted to professional users.

### 1.3 Details of the supplier of the safety data sheet

Company : OKS Spezialschmierstoffe GmbH  
Ganghoferstr. 47  
82216 Maisach-Gernlinden  
Deutschland  
Tel.: +49 8142 3051 500  
Fax: +49 8142 3051 599  
info@oks-germany.com

E-mail address of person responsible for the SDS : mcm@oks-germany.com

National contact :

### 1.4 Emergency telephone number

Emergency telephone number : +49 8142 3051 517

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Long-term (chronic) aquatic hazard, Category 2 H411: Toxic to aquatic life with long lasting effects.

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 245

Version	Revision Date:	Date of last issue: 30.10.2023	Print Date:
3.1	31.10.2024	Date of first issue: 30.05.2016	14.01.2025

Hazard pictograms

:



Hazard statements

:

H411

Toxic to aquatic life with long lasting effects.

Precautionary statements

:

**Prevention:**

P273

Avoid release to the environment.

**Response:**

P391

Collect spillage.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Mineral oil.  
Thickening agent

#### Components

Chemical name	CAS-No. EC-No.  Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
Kaolin, calcined	92704-41-1 296-473-8	Eye Irrit.2; H319 STOT SE3; H335; EUH066		>= 1 - < 10

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 245

Version 3.1	Revision Date: 31.10.2024	Date of last issue: 30.10.2023 Date of first issue: 30.05.2016	Print Date: 14.01.2025
----------------	------------------------------	---	---------------------------

copper	7440-50-8 231-159-6  01-2119480154-42-XXXX	Acute Tox.4; H302 Eye Irrit.2; H319 Aquatic Acute1; H400 Aquatic Chronic1; H410	M-Factor: 10/10  ATE (Oral): 500 mg/kg; ATE (Inhalation): 0,733 mg/l;	$\geq 1 - < 2,5$
2,5-bis(tert-nonyldithio)-1,3,4-thiadiazole	89347-09-1 289-493-3	Aquatic Chronic3; H412		$\geq 1 - < 2,5$
Substances with a workplace exposure limit :				
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	64742-54-7 265-157-1  649-467-00-8 01-2119484627-25-XXXX	Not classified	Note L	$\geq 30 - < 50$
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified	64742-65-0 265-169-7  649-474-00-6 01-2119471299-27-XXXX	Not classified	Note L	$\geq 30 - < 50$

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.  
Keep patient warm and at rest.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
If symptoms persist, call a physician.  
If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Remove contaminated clothing. If irritation develops, get medical attention.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 245

Version 3.1	Revision Date: 31.10.2024	Date of last issue: 30.10.2023 Date of first issue: 30.05.2016	Print Date: 14.01.2025
----------------	------------------------------	---	---------------------------

Wash off with soap and water.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.  
If eye irritation persists, consult a specialist.

If swallowed : Move the victim to fresh air.  
If accidentally swallowed obtain immediate medical attention.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
Do not induce vomiting without medical advice.  
Never give anything by mouth to an unconscious person.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Inhalation may provoke the following symptoms:  
Nausea

Risks : May cause an allergic skin reaction.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NOx)  
Sulphur oxides  
Metal oxides

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment. Exposure to decomposition products may be a hazard to health.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 245

Version	Revision Date:	Date of last issue: 30.10.2023	Print Date:
3.1	31.10.2024	Date of first issue: 30.05.2016	14.01.2025

Further information : Standard procedure for chemical fires.  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.  
Ensure adequate ventilation.  
Do not breathe vapours, aerosols.  
Refer to protective measures listed in sections 7 and 8.

### 6.2 Environmental precautions

Environmental precautions : Do not allow contact with soil, surface or ground water.  
If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Pick up and transfer to properly labelled containers.

### 6.4 Reference to other sections

For personal protection see section 8.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Do not use in areas without adequate ventilation.  
In case of insufficient ventilation, wear suitable respiratory equipment.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash hands and face before breaks and immediately after handling the product.  
Do not get in eyes or mouth or on skin.  
Do not get on skin or clothing.  
Do not ingest.  
Do not repack.  
These safety instructions also apply to empty packaging which may still contain product residues.  
Keep container closed when not in use.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 245

Version	Revision Date:	Date of last issue: 30.10.2023	Print Date:
3.1	31.10.2024	Date of first issue: 30.05.2016	14.01.2025

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

Storage class (TRGS 510) : 11, Combustible Solids

### 7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	64742-54-7	AGW (Vapour and aerosols)	5 mg/m <sup>3</sup>	DE TRGS 900 (2018-06-07)
Peak-limit: excursion factor (category): 4;(II)				
Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child				
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified	64742-65-0	AGW (Vapour and aerosols)	5 mg/m <sup>3</sup>	DE TRGS 900 (2018-06-07)
Peak-limit: excursion factor (category): 4;(II)				
Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child				
copper	7440-50-8	MAK (measured as the alveolate fraction)	0,01 mg/m <sup>3</sup>	DE DFG MAK (2023-07-01)
Further information: Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed				

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 245

Version	Revision Date:	Date of last issue: 30.10.2023	Print Date:
3.1	31.10.2024	Date of first issue: 30.05.2016	14.01.2025

Substance name	End Use	Exposure routes	Potential health effects	Value
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	Workers	Inhalation	Long-term local effects	5,58 mg/m3
	Workers	Inhalation	Long-term systemic effects	2,73 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,97 mg/kg
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified	Workers	Inhalation	Long-term systemic effects	2,73 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,97 mg/kg

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	Oral	9,33 mg/kg
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified	Oral	9,33 mg/kg

## 8.2 Exposure controls

### Engineering measures

Handle only in a place equipped with local exhaust (or other appropriate exhaust).

### Personal protective equipment

Eye/face protection : Safety glasses

#### Hand protection

Material : Nitrile rubber  
Break through time : > 10 min  
Protective index : Class 1

Remarks : For prolonged or repeated contact use protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.  
The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Skin and body protection : Choose body protection in relation to its type, to the

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 245

Version 3.1	Revision Date: 31.10.2024	Date of last issue: 30.10.2023 Date of first issue: 30.05.2016	Print Date: 14.01.2025
----------------	------------------------------	---	---------------------------

concentration and amount of dangerous substances, and to the specific work-place.

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Filter type A-P

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Environmental exposure controls

Air : Should not be released into the environment.

Soil :  
  
Do not allow contact with soil, surface or ground water.  
The product should not be allowed to enter drains, water courses or the soil.

Water :  
  
Do not allow contact with soil, surface or ground water.  
The product should not be allowed to enter drains, water courses or the soil.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	: paste
Colour	: red brown
Odour	: characteristic
Odour Threshold	: No data available
	: Not applicable
	: Not applicable



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 245

Version 3.1	Revision Date: 31.10.2024	Date of last issue: 30.10.2023 Date of first issue: 30.05.2016	Print Date: 14.01.2025
----------------	------------------------------	---	---------------------------

Flammability (solid, gas)	:	Combustible Solids
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
pH	:	Not applicable substance/mixture is non-soluble (in water)
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	Not applicable
Solubility(ies)		
Water solubility	:	insoluble
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Vapour pressure	:	< 0,001 hPa (20 °C)
Relative density	:	0,95 (20 °C) Reference substance: Water The value is calculated
Density	:	0,95 g/cm <sup>3</sup> (20 °C)
Bulk density	:	No data available
Relative vapour density	:	No data available
Particle characteristics		
Particle size	:	Not applicable
Particle Size Distribution	:	Not applicable

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 245

Version	Revision Date:	Date of last issue: 30.10.2023	Print Date:
3.1	31.10.2024	Date of first issue: 30.05.2016	14.01.2025

### 9.2 Other information

Explosives	:	Not explosive
Oxidizing properties	:	No data available
Self-ignition	:	not auto-flammable
Metal corrosion rate	:	Not corrosive to metals
Evaporation rate	:	No data available
Sublimation point	:	No data available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No hazards to be specially mentioned.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

### 10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

### 10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

##### Product:

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg  
Method: Calculation method

Remarks: Harmful if swallowed.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 245

Version 3.1	Revision Date: 31.10.2024	Date of last issue: 30.10.2023 Date of first issue: 30.05.2016	Print Date: 14.01.2025
----------------	------------------------------	---	---------------------------

Acute inhalation toxicity : Remarks: Harmful by inhalation.  
Acute dermal toxicity : Symptoms: Redness, Local irritation

### Components:

#### **Kaolin, calcined:**

Acute inhalation toxicity : Assessment: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

#### **copper:**

Acute oral toxicity : Acute toxicity estimate: 500 mg/kg  
Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008

LD50 Oral (Rat): > 300 - 2.000 mg/kg  
Assessment: The component/mixture is moderately toxic after single ingestion.

Acute inhalation toxicity : Acute toxicity estimate: 0,733 mg/l  
Test atmosphere: dust/mist  
Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

#### **2,5-bis(tert-nonyldithio)-1,3,4-thiadiazole:**

Acute oral toxicity : LD50 (Rat): > 10.000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

#### **Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401  
GLP: yes

Acute inhalation toxicity : LC50 (Rat): > 5,53 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 245

Version	Revision Date:	Date of last issue: 30.10.2023	Print Date:
3.1	31.10.2024	Date of first issue: 30.05.2016	14.01.2025

Method: OECD Test Guideline 402

### **Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg  
Method: OECD Test Guideline 402

### **Skin corrosion/irritation**

#### **Product:**

Remarks : This information is not available.

#### **Components:**

##### **Kaolin, calcined:**

Result : Repeated exposure may cause skin dryness or cracking.

### **Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:**

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Result : No skin irritation  
GLP : yes

### **Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:**

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Result : No skin irritation  
GLP : yes

### **Serious eye damage/eye irritation**

#### **Product:**

Remarks : Irritating to eyes.

#### **Components:**

##### **Kaolin, calcined:**

Result : Irritating to eyes.

##### **copper:**

Result : Eye irritation

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 245

Version	Revision Date:	Date of last issue: 30.10.2023	Print Date:
3.1	31.10.2024	Date of first issue: 30.05.2016	14.01.2025

### **Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:**

Species	:	Rabbit
Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405
Result	:	No eye irritation
GLP	:	yes

### **Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:**

Species	:	Rabbit
Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405
Result	:	No eye irritation
GLP	:	yes

### **Respiratory or skin sensitisation**

#### **Product:**

Remarks	:	This information is not available.
---------	---	------------------------------------

#### **Components:**

### **Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:**

Species	:	Guinea pig
Assessment	:	Does not cause skin sensitisation.
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitisation.
GLP	:	yes

### **Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:**

Species	:	Guinea pig
Assessment	:	Does not cause skin sensitisation.
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitisation.
GLP	:	yes

### **Germ cell mutagenicity**

#### **Product:**

Genotoxicity in vitro	:	Remarks: No data available
-----------------------	---	----------------------------

Genotoxicity in vivo	:	Remarks: No data available
----------------------	---	----------------------------

#### **Components:**

### **Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 245

Version 3.1	Revision Date: 31.10.2024	Date of last issue: 30.10.2023 Date of first issue: 30.05.2016	Print Date: 14.01.2025
----------------	------------------------------	---	---------------------------

Genotoxicity in vitro : Test system: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative

Genotoxicity in vivo : Species: Mouse  
Application Route: Oral  
Method: OECD Test Guideline 474  
Result: negative

### Carcinogenicity

#### Product:

Remarks : No data available

#### Components:

##### **Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

##### **Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:**

Species : Mouse  
Application Route : Dermal  
Method : OECD Test Guideline 451  
Result : negative

### Reproductive toxicity

#### Product:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

#### Components:

##### **Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:**

Reproductive toxicity - Assessment : - Fertility -  
No toxicity to reproduction

##### **Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:**

Effects on foetal development : Species: Rat  
Application Route: Dermal  
General Toxicity Maternal: NOAEL: 30 mg/kg body weight  
Developmental Toxicity: NOAEL: 30 mg/kg body weight  
Method: OECD Test Guideline 414

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 245

Version	Revision Date:	Date of last issue: 30.10.2023	Print Date:
3.1	31.10.2024	Date of first issue: 30.05.2016	14.01.2025

### STOT - single exposure

#### Product:

Remarks : No data available

#### Components:

##### **Kaolin, calcined:**

Exposure routes : Inhalation  
Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

### STOT - repeated exposure

#### Product:

Remarks : No data available

### Repeated dose toxicity

#### Product:

Remarks : This information is not available.

### Aspiration toxicity

#### Product:

This information is not available.

#### Components:

##### **Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:**

No aspiration toxicity classification

##### **Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:**

No aspiration toxicity classification

## 11.2 Information on other hazards

### Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 245

Version	Revision Date:	Date of last issue: 30.10.2023	Print Date:
3.1	31.10.2024	Date of first issue: 30.05.2016	14.01.2025

levels of 0.1% or higher.

### Further information

#### Product:

Remarks : Information given is based on data on the components and the toxicology of similar products.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

Toxicity to fish : Remarks: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae/aquatic plants : Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

#### Components:

##### **copper:**

M-Factor (Acute aquatic toxicity) : 10

M-Factor (Chronic aquatic toxicity) : 10

### Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

#### **2,5-bis(tert-nonyldithio)-1,3,4-thiadiazole:**

Toxicity to fish : LC50 (Fish): > 10 - 100 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : (Daphnia magna (Water flea)): > 10 - 100 mg/l  
Exposure time: 48 h



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 245

Version	Revision Date:	Date of last issue: 30.10.2023	Print Date:
3.1	31.10.2024	Date of first issue: 30.05.2016	14.01.2025

Toxicity to algae/aquatic plants : EC50 : > 10 - 100 mg/l  
Exposure time: 72 h

### **Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10.000 mg/l  
Exposure time: 48 h  
Test Type: Immobilization  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 10 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Test Type: semi-static test  
Method: OECD Test Guideline 211  
GLP: yes

### **Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10.000 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 10 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

## 12.2 Persistence and degradability

### **Product:**

Biodegradability : Remarks: No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 245

Version 3.1	Revision Date: 31.10.2024	Date of last issue: 30.10.2023 Date of first issue: 30.05.2016	Print Date: 14.01.2025
----------------	------------------------------	---	---------------------------

Physico-chemical  
removability : Remarks: No data available

### Components:

#### **copper:**

Biodegradability : Result: Not rapidly biodegradable

#### **2,5-bis(tert-nonyldithio)-1,3,4-thiadiazole:**

Biodegradability : Result: Not readily biodegradable.

#### **Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:**

Biodegradability : Test Type: aerobic  
Inoculum: activated sludge  
Result: Not rapidly biodegradable  
Biodegradation: 3 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B  
GLP: yes

#### **Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:**

Biodegradability : Test Type: aerobic  
Inoculum: activated sludge  
Result: Not rapidly biodegradable  
Biodegradation: 31 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B  
GLP: yes

## 12.3 Bioaccumulative potential

### Product:

Bioaccumulation : Remarks: No data available

### Components:

#### **Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:**

Partition coefficient: n-  
octanol/water : log Pow: 10,16 - 24,9

## 12.4 Mobility in soil

### Product:

Mobility : Remarks: No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 245

Version	Revision Date:	Date of last issue: 30.10.2023	Print Date:
3.1	31.10.2024	Date of first issue: 30.05.2016	14.01.2025

Distribution among environmental compartments : Remarks: No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### Components:

##### **Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:**

Assessment : Non-classified vPvB substance. Non-classified PBT substance

### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

#### Product:

Additional ecological information : Toxic to aquatic life with long lasting effects.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.  
Do not dispose of with domestic refuse.  
Dispose of as hazardous waste in compliance with local and national regulations.

Waste codes should be assigned by the user based on the application for which the product was used.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.  
Dispose of waste product or used containers according to

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 245

Version 3.1	Revision Date: 31.10.2024	Date of last issue: 30.10.2023 Date of first issue: 30.05.2016	Print Date: 14.01.2025
----------------	------------------------------	---	---------------------------

local regulations.

The following Waste Codes are only suggestions:

Waste Code : used product, unused product  
12 01 12\*\*, spent waxes and fats

uncleaned packagings  
15 01 10\*, packaging containing residues of or contaminated  
by hazardous substances

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADN : UN 3077  
ADR : UN 3077  
RID : UN 3077  
IMDG : UN 3077  
IATA : UN 3077

### 14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,  
N.O.S.  
(copper)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,  
N.O.S.  
(copper)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,  
N.O.S.

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,  
N.O.S.  
(copper)

IATA : Environmentally hazardous substance, solid, n.o.s.  
(copper)

### 14.3 Transport hazard class(es)

ADN : 9  
ADR : 9  
RID : 9  
IMDG : 9  
IATA : 9

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 245

Version	Revision Date:	Date of last issue: 30.10.2023	Print Date:
3.1	31.10.2024	Date of first issue: 30.05.2016	14.01.2025

### 14.4 Packing group

#### ADN

Packing group : III  
Classification Code : M7  
Hazard Identification Number : 90  
Labels : 9

#### ADR

Packing group : III  
Classification Code : M7  
Hazard Identification Number : 90  
Labels : 9  
Tunnel restriction code : (-)

#### RID

Packing group : III  
Classification Code : M7  
Hazard Identification Number : 90  
Labels : 9

#### IMDG

Packing group : III  
Labels : 9  
EmS Code : F-A, S-F

#### IATA (Cargo)

Packing instruction (cargo aircraft) : 956  
Packing instruction (LQ) : Y956  
Packing group : III  
Labels : Miscellaneous Dangerous Goods

#### IATA (Passenger)

Packing instruction (passenger aircraft) : 956  
Packing instruction (LQ) : Y956  
Packing group : III  
Labels : Miscellaneous Dangerous Goods

### 14.5 Environmental hazards

#### ADN

Environmentally hazardous : yes

#### ADR

Environmentally hazardous : yes

#### RID

Environmentally hazardous : yes

#### IMDG

Marine pollutant : yes

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 245

Version	Revision Date:	Date of last issue: 30.10.2023	Print Date:
3.1	31.10.2024	Date of first issue: 30.05.2016	14.01.2025

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	: Conditions of restriction for the following entries should be considered: Number on list 75 If you intend to use this product as tattoo ink, please contact your vendor.  copper (Number on list 75)
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC)	: This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer (EC 1005/2009)	: Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast) (EU POP)	: Not applicable
Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals (EU PIC)	: Not applicable
REACH - List of substances subject to authorisation (Annex XIV) (EU. REACH-Annex XIV)	: Not applicable

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 245

Version	Revision Date:	Date of last issue: 30.10.2023	Print Date:
3.1	31.10.2024	Date of first issue: 30.05.2016	14.01.2025

Regulation (EU) 2019/1148 on the marketing and use of : Not applicable  
explosives precursors

Seveso III: Directive 2012/18/EU of the European E2 ENVIRONMENTAL HAZARDS  
Parliament and of the Council on the control of  
major-accident hazards involving dangerous  
substances.

Water hazard class : WGK 2 obviously hazardous to water  
(Germany) Classification according to AwSV, Annex 1 (5.2)

TA Luft List (Germany) : 5.2.1: Total dust:  
others: 11,18 %  
5.2.2: Inorganic substances in powdered form:  
Class 3: 1,65 %  
5.2.4: Inorganic substances in gaseous form:  
Not applicable  
5.2.5: Organic Substances:  
Class 1: 71,78 %  
5.2.7.1.1: Carcinogenic substance:  
Not applicable  
5.2.7.1.1: Quartz fine dust PM4:  
others: 0,08 %  
5.2.7.1.1: Formaldehyde:  
Not applicable  
5.2.7.1.1: fibres:  
Not applicable  
5.2.7.2: Poorly degradable, easily enrichable and highly toxic  
organic substances:  
Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial  
emissions (integrated pollution prevention and control)  
Not applicable

## 15.2 Chemical safety assessment

This information is not available.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 245

Version	Revision Date:	Date of last issue: 30.10.2023	Print Date:
3.1	31.10.2024	Date of first issue: 30.05.2016	14.01.2025

### SECTION 16: Other information

#### Full text of H-Statements

H302	: Harmful if swallowed.
H319	: Causes serious eye irritation.
H335	: May cause respiratory irritation.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H412	: Harmful to aquatic life with long lasting effects.
EUH066	: Repeated exposure may cause skin dryness or cracking.

#### Full text of other abbreviations

Note L	: The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.
DE DFG MAK	: Germany. MAK BAT Annex IIa
DE TRGS 900	: Germany. TRGS 900 - Occupational exposure limit values.
DE DFG MAK / MAK	: MAK value
DE TRGS 900 / AGW	: Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 245

Version	Revision Date:	Date of last issue: 30.10.2023	Print Date:
3.1	31.10.2024	Date of first issue: 30.05.2016	14.01.2025

population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

Aquatic Chronic 2                      H411

#### Classification procedure:

Calculation method

|| Relevant changes compared to the last edition are highlighted at the left margin. This version replaces all previous editions.

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.