according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 472

Version Revision Date: Date of last issue: 10.10.2024 Print Date: 2.9 Date of first issue: 13.06.2016 Print Date: 18.02.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : OKS 472

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the : Grease

Substance/Mixture

Recommended restrictions

on use

Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company : OKS Spezialschmierstoffe GmbH

:

Ganghoferstr. 47

82216 Maisach-Gernlinden

Deutschland

Tel.: +49 8142 3051 500 Fax: +49 8142 3051 599 info@oks-germany.com

E-mail address of person

responsible for the SDS

mcm@oks-germany.com

National contact

1.4 Emergency telephone number

Emergency telephone

number

: +49 8142 3051 517

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Long-term (chronic) aquatic hazard, H412: Harmful to aquatic life with long lasting

Category 3 effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard statements : H412 Harmful to aquatic life with long lasting



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 472

Version Revision Date: Date of last issue: 10.10.2024 Print Date: 2.9 Date of first issue: 13.06.2016 Print Date: 18.02.2025

effects.

Precautionary statements : Prevention:

P273 Avoid release to the environment.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Synthetic hydrocarbon oil

ester oil

aluminium complex soap

Mineral oil.

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
White mineral oil (petroleum)	8042-47-5 232-455-8 01-2119487078-27- XXXX	Asp. Tox.1; H304		>= 1 - < 10
disodium sebacate	17265-14-4 241-300-3 01-2120762063-61-	Eye Irrit.2; H319		>= 1 - < 10



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 472

VersionRevision Date:Date of last issue: 10.10.2024Print Date:2.910.02.2025Date of first issue: 13.06.201618.02.2025

	xxxx			
N-methyl-N-[C18- (unsaturated)alkanoyl] glycine	701-177-3 01-2119488991-20- XXXX	Acute Tox.4; H332 Skin Irrit.2; H315 Eye Dam.1; H318 Aquatic Acute1; H400 Aquatic Chronic3; H412	M-Factor: 1/ ATE ATE (Inhalation): 1,37 mg/l;	>= 0,25 - < 1
2,6-di-tert-butyl-p- cresol	128-37-0 204-881-4 01-2119555270-46- XXXX	Aquatic Acute1; H400 Aquatic Chronic1; H410	M-Factor: 1/1	>= 0,25 - < 1
Substances with a work	xplace exposure limit :	l		
Dec-1-ene, homopolymer, hydrogenated	68037-01-4 500-183-1 01-2119486452-34- XXXX	Not classified		>= 70 - < 90
White mineral oil (petroleum)	8042-47-5 232-455-8 01-2119487078-27- XXXX	Not classified		>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled : Remove person to fresh air. If signs/symptoms continue, get

medical attention.

Keep patient warm and at rest.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear.

If breathing is irregular or stopped, administer artificial

respiration.

In case of skin contact : Remove contaminated clothing. If irritation develops, get

medical attention.

Wash off with soap and water.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 472

Version Revision Date: Date of last issue: 10.10.2024 Print Date: 2.9 Date of first issue: 13.06.2016 Print Date: 18.02.2025

Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 10 minutes.

If eye irritation persists, consult a specialist.

If swallowed : Move the victim to fresh air.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear.

Do not induce vomiting without medical advice.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No symptoms known or expected.

Risks : None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion : Carbon oxides

products Oxides of phosphorus

Metal oxides

5.3 Advice for firefighters

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment. Exposure to decomposition products may be a hazard to health.

Further information : Standard procedure for chemical fires.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 472

Version Revision Date: Date of last issue: 10.10.2024 Print Date: 2.9 Date of first issue: 13.06.2016 Print Date: 18.02.2025

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.

Ensure adequate ventilation. Do not breathe vapours, aerosols.

Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Do not allow contact with soil, surface or ground water.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Pick up and transfer to properly labelled containers.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Wash hands and face before breaks and immediately after

handling the product.

Do not ingest. Do not repack.

These safety instructions also apply to empty packaging which

may still contain product residues. Keep container closed when not in use.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after

handling.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 472

VersionRevision Date:Date of last issue: 10.10.2024Print Date:2.910.02.2025Date of first issue: 13.06.201618.02.2025

Storage class (TRGS 510) : 11, Combustible Solids

7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis	
Dec-1-ene, homopolymer, hydrogenated	68037-01-4	AGW (Alveolate fraction)	5 mg/m3	DE TRGS 900 (2012-01-12)	
7 - 3	Peak-limit: ex	cursion factor (categ	ory): 4;(II)	,	
			compliance with the OEL ar	nd biological	
	tolerance valu	tolerance values, there is no risk of harming the unborn child			
		MAK (measured as the alveolate fraction)	5 mg/m3	DE DFG MAK (2023-07-01)	
	Further information: Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed				
White mineral oil (petroleum)	8042-47-5	MAK (measured as the alveolate fraction)	5 mg/m3	DE DFG MAK (2023-07-01)	
	Further information: Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed				
		AGW (Alveolate fraction)	5 mg/m3	DE TRGS 900 (2015-11-06)	
	Peak-limit: excursion factor (category): 4;(II)				
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child				
White mineral oil (petroleum)	8042-47-5	MAK (measured as the alveolate fraction)	5 mg/m3	DE DFG MAK (2023-07-01)	
	Further information: Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed				
		AGW (Alveolate fraction)	5 mg/m3	DE TRGS 900 (2015-11-06)	
	Peak-limit: excursion factor (category): 4;(II)				
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child				



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 472

VersionRevision Date:Date of last issue: 10.10.2024Print Date:2.910.02.2025Date of first issue: 13.06.201618.02.2025

N-methyl-N-[C18- (unsaturated)alkan oyl]glycine	Not Assigned	MAK (inhalable fraction)	0,05 mg/m3	DE DFG MAK (2023-07-01)
	Further inform	ation: Either there a	re no data for an assessmen	t of damage to
	the embryo or foetus, including developmental neurotoxicity, or the currently			
			r classification in one of the g	
		AGW (Inhalable	0,05 mg/m3	DE TRGS
		fraction)		900
		,		(2019-03-29)
	Peak-limit: excursion factor (category): 2;(II)			
2,6-di-tert-butyl-p-	128-37-0	MAK (inhalable	10 mg/m3	DE DFG MAK
cresol		fraction)	_	(2023-07-01)
	Further information: Substances that cause cancer in humans or animals or			
	that are considered to be carcinogenic for humans and for which a MAK value			
	can be derived., Damage to the embryo or foetus is unlikely when the MAK			
	value or the BAT value is observed			
		AGW (Vapour	10 mg/m3	DE TRGS
		and aerosols,		900
		inhalable		(2012-09-13)
		fraction)		
	Peak-limit: excursion factor (category): 4;(II)			
	Further information: When there is compliance with the OEL and biological			
	tolerance values, there is no risk of harming the unborn child			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

	• •	-	` '	
Substance name	End Use	Exposure routes	Potential health effects	Value
White mineral oil (petroleum)	Workers	Inhalation	Long-term systemic effects	164,56 mg/m3
	Workers	Skin contact	Long-term systemic effects	217,05 mg/kg
White mineral oil (petroleum)	Workers	Inhalation	Long-term systemic effects	164,56 mg/m3
	Workers	Dermal	Long-term systemic effects	217,05 mg/kg bw/day
disodium sebacate	Workers	Skin contact	Long-term systemic effects	10 mg/kg
	Workers	Inhalation	Long-term systemic effects	35,26 mg/m3
N-methyl-N-[C18- (unsaturated)alkanoyl] glycine	Workers	Inhalation	Long-term systemic effects	0,8 mg/m3
	Workers	Skin contact	Long-term systemic effects	4,2 mg/kg bw/day
2,6-di-tert-butyl-p- cresol	Workers	Inhalation	Long-term systemic effects	1,76 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,5 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 472

VersionRevision Date:Date of last issue: 10.10.2024Print Date:2.910.02.2025Date of first issue: 13.06.201618.02.2025

Substance name	Environmental Compartment	Value
isopropyl oleate	Fresh water sediment	2,978 mg/kg
	Marine sediment	2,978 mg/kg
Aluminum, benzoate C16-18- fatty acids complexes	Fresh water	0,1 mg/l
latty delae complexes	Marine water	0,01 mg/l
disodium sebacate	Fresh water	0,018 mg/l
	Marine water	0,002 mg/l
	Sewage treatment plant	10 mg/l
	Fresh water sediment	0,548 mg/kg
	Marine sediment	0,055 mg/kg
	Soil	0,099 mg/kg
N-methyl-N-[C18- (unsaturated)alkanoyl]glycine	Fresh water	0,00043 mg/l
, , , , , , , , , , , , , , , , , , , ,	Marine water	0,000043 mg/l
	Microbiological Activity in Sewage	1 mg/l
	Treatment Systems	0.057//
	Fresh water sediment	0,057 mg/kg
	Marine sediment	0,006 mg/kg
0.0 15 (- 1.1) (1.1) (- 1.1)	Soil	1,71 mg/kg
2,6-di-tert-butyl-p-cresol	Fresh water	0,199 μg/l
	Marine water	0,02 μg/l
	Intermittent use/release	1,99 µg/l
	Microbiological Activity in Sewage	0,017 mg/l
	Treatment Systems	
	Fresh water sediment	0,458 mg/kg
	Marine sediment	0,046 mg/kg
	Soil	0,054 mg/kg

8.2 Exposure controls

Engineering measures

none

Personal protective equipment

Eye/face protection : Safety glasses

Hand protection

Material : Nitrile rubber
Break through time : > 10 min
Protective index : Class 1

Remarks : For prolonged or repeated contact use protective gloves. The

break through time depends amongst other things on the material, the thickness and the type of glove and therefore

has to be measured for each case.

The selected protective gloves have to satisfy the

specifications of Regulation (EU) 2016/425 and the standard

EN 374 derived from it.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 472

Version Revision Date: Date of last issue: 10.10.2024 Print Date: 2.9 Date of first issue: 13.06.2016 Print Date: 18.02.2025

Skin and body protection : Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to

the specific work-place.

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type P

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

Environmental exposure controls

Air :

Should not be released into the environment.

Soil :

Do not allow contact with soil, surface or ground water. The product should not be allowed to enter drains, water

courses or the soil.

Water :

Do not allow contact with soil, surface or ground water. The product should not be allowed to enter drains, water

courses or the soil.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : paste

Colour : white

Odour : characteristic

Odour Threshold : No data available

Melting point/range : No data available

Boiling point/boiling range : No data available



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 472

Version Revision Date: Date of last issue: 10.10.2024 Print Date: 2.9 Date of first issue: 13.06.2016 Print Date: 18.02.2025

Flammability (solid, gas) : Combustible Solids

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Flash point : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : Not applicable

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : Not applicable

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Vapour pressure : < 0,001 hPa (20 °C)

Relative density : 0,9 (20 °C)

Reference substance: Water The value is calculated

Density : 0,90 g/cm3

(20 °C)

Bulk density : No data available

Relative vapour density : No data available

Particle characteristics

Particle size : Not applicable

Particle Size Distribution : Not applicable

9.2 Other information

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 472

Version Revision Date: Date of last issue: 10.10.2024 Print Date: 2.9 Date of first issue: 13.06.2016 Print Date: 18.02.2025

Explosives : Not explosive

Oxidizing properties : No data available

Self-ignition : No data available

Evaporation rate : No data available

Sublimation point : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product:

Acute oral toxicity : Remarks: This information is not available.

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Remarks: This information is not available.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 472

Version Revision Date: Date of last issue: 10.10.2024 Print Date: 2.9 10.02.2025 Date of first issue: 13.06.2016 18.02.2025

Components:

White mineral oil (petroleum):

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute

inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

disodium sebacate:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

GLP: no

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Assessment: The substance or mixture has no acute dermal

toxicity

N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male and female): 1,37 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute toxicity estimate: 1,37 mg/l Test atmosphere: dust/mist

Method: ATE value derived from LD50/LC50 value

2,6-di-tert-butyl-p-cresol:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 402

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 472

Version Revision Date: Date of last issue: 10.10.2024 Print Date: 2.9 Date of first issue: 13.06.2016 Print Date: 18.02.2025

Dec-1-ene, homopolymer, hydrogenated:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): 5,2 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Assessment: The substance or mixture has no acute

inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Assessment: The substance or mixture has no acute dermal

toxicity

White mineral oil (petroleum):

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

GLP: yes

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

GLP: yes

Assessment: The substance or mixture has no acute

inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Product:

Remarks : This information is not available.

Components:

White mineral oil (petroleum):

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 472

Version Revision Date: Date of last issue: 10.10.2024 Print Date: 2.9 Date of first issue: 13.06.2016 Print Date: 18.02.2025

disodium sebacate:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : no

N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:

Species : Rabbit

Assessment : Irritating to skin. Result : Irritating to skin.

2,6-di-tert-butyl-p-cresol:

Species : Rabbit

Assessment : No skin irritation Result : No skin irritation

Dec-1-ene, homopolymer, hydrogenated:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

White mineral oil (petroleum):

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

Serious eye damage/eye irritation

Product:

Remarks : This information is not available.

Components:

White mineral oil (petroleum):

Species : Rabbit

Assessment : No eye irritation

Method : OECD Test Guideline 405

Result : No eye irritation

GLP : yes

disodium sebacate:



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 472

Version Date of last issue: 10.10.2024 Revision Date: Print Date: 10.02.2025 Date of first issue: 13.06.2016 18.02.2025 2.9

Species Rabbit

Irritating to eyes. Assessment

Method **OECD Test Guideline 437**

Result Irritating to eyes.

GLP yes

N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:

Species Rabbit

Assessment Risk of serious damage to eyes. Result Risk of serious damage to eyes.

2,6-di-tert-butyl-p-cresol:

Species Rabbit

No eye irritation Assessment Method **Draize Test** Result No eye irritation

Dec-1-ene, homopolymer, hydrogenated:

Species Rabbit

Assessment No eye irritation

Method **OECD Test Guideline 405**

No eye irritation Result

GLP yes

White mineral oil (petroleum):

Species Rabbit

No eye irritation Assessment

OECD Test Guideline 405 Method

Result No eye irritation

GLP yes

Respiratory or skin sensitisation

Product:

This information is not available. Remarks

Components:

White mineral oil (petroleum):

Test Type **Buehler Test Species** Guinea pig

Assessment Does not cause skin sensitisation. Method **OECD Test Guideline 406** Result

Does not cause skin sensitisation.

GLP yes

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 472

Version Revision Date: Date of last issue: 10.10.2024 Print Date: 2.9 Date of first issue: 13.06.2016 Print Date: 18.02.2025

disodium sebacate:

Species : Guinea pig

Assessment : Did not cause sensitisation on laboratory animals.

Result : Did not cause sensitisation on laboratory animals.

N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:

Test Type : Maximisation Test

Species : Guinea pig

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

2,6-di-tert-butyl-p-cresol:

Species : Humans

Assessment : Does not cause skin sensitisation.
Result : Does not cause skin sensitisation.

Dec-1-ene, homopolymer, hydrogenated:

Test Type : Maximisation Test

Species : Guinea pig

Assessment : Did not cause sensitisation on laboratory animals.

Method : OECD Test Guideline 406

Result : Did not cause sensitisation on laboratory animals.

GLP : yes

White mineral oil (petroleum):

Test Type : Maximisation Test

Species : Guinea pig

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

GLP : yes

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

Components:

White mineral oil (petroleum):

Germ cell mutagenicity: Tests on bacterial or mammalian cell cultures did not show

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 472

Version Revision Date: Date of last issue: 10.10.2024 Print Date: 2.9 Date of first issue: 13.06.2016 Print Date: 18.02.2025

Assessment mutagenic effects.

disodium sebacate:

Germ cell mutagenicity-

Assessment

Tests on bacterial or mammalian cell cultures did not show

mutagenic effects.

2,6-di-tert-butyl-p-cresol:

Genotoxicity in vitro : Test Type: Ames test

Result: negative

Remarks: In vitro tests did not show mutagenic effects

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Result: negative

Germ cell mutagenicity-

Assessment

Tests on bacterial or mammalian cell cultures did not show

mutagenic effects.

Dec-1-ene, homopolymer, hydrogenated:

Germ cell mutagenicity-

Assessment

Animal testing did not show any mutagenic effects.

White mineral oil (petroleum):

Genotoxicity in vitro : Test Type: Ames test

Method: Mutagenicity (Salmonella typhimurium - reverse

mutation assay) Result: negative GLP: yes

Germ cell mutagenicity-

Assessment

Tests on bacterial or mammalian cell cultures did not show

mutagenic effects.

Carcinogenicity

Product:

Remarks : No data available

Components:

White mineral oil (petroleum):

Carcinogenicity - : No evidence of carcinogenicity in animal studies.

Assessment

Dec-1-ene, homopolymer, hydrogenated:

Carcinogenicity - : Not classifiable as a human carcinogen.

Assessment

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 472

Version Revision Date: Date of last issue: 10.10.2024 Print Date: 2.9 Date of first issue: 13.06.2016 Print Date: 18.02.2025

White mineral oil (petroleum):

Carcinogenicity - : No evidence of carcinogenicity in animal studies.

Assessment

Reproductive toxicity

Product:

Effects on fertility : Remarks: No data available

Effects on foetal development

Remarks: No data available

Components:

White mineral oil (petroleum):

Reproductive toxicity - : - Fertility -

Assessment

No toxicity to reproduction

- Teratogenicity -

No effects on or via lactation

disodium sebacate:

Reproductive toxicity - : - Fertility -

Assessment

No toxicity to reproduction

- Teratogenicity -

No effects on or via lactation

2,6-di-tert-butyl-p-cresol:

Reproductive toxicity - : - Fertility -

Assessment No toxicity to reproduction

Dec-1-ene, homopolymer, hydrogenated:

Effects on fertility : Species: Rat

Application Route: Oral

Dose: 1000 milligram per kilogram

Fertility: NOAEL Parent: 1.000 mg/kg body weight

Method: OECD Test Guideline 415

Reproductive toxicity - : - Fe

Assessment

- Fertility -

No toxicity to reproduction

White mineral oil (petroleum):

Reproductive toxicity - : - Fertility -

Assessment

No toxicity to reproduction

a brand of

FREUDENBERG

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 472

VersionRevision Date:Date of last issue: 10.10.2024Print Date:2.910.02.2025Date of first issue: 13.06.201618.02.2025

- Teratogenicity -

No effects on or via lactation

STOT - single exposure

Product:

Remarks : No data available

Components:

White mineral oil (petroleum):

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

White mineral oil (petroleum):

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

STOT - repeated exposure

Product:

Remarks : No data available

Components:

White mineral oil (petroleum):

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

White mineral oil (petroleum):

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

Product:

Remarks : This information is not available.

Components:

White mineral oil (petroleum):

NOAEL : 1.800 mg/kg

Exposure time : 90 d

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 472

VersionRevision Date:Date of last issue: 10.10.2024Print Date:2.910.02.2025Date of first issue: 13.06.201618.02.2025

Aspiration toxicity

Product:

This information is not available.

Components:

White mineral oil (petroleum):

May be fatal if swallowed and enters airways.

disodium sebacate:

No aspiration toxicity classification

2,6-di-tert-butyl-p-cresol:

No aspiration toxicity classification

Dec-1-ene, homopolymer, hydrogenated:

No aspiration toxicity classification

White mineral oil (petroleum):

No aspiration toxicity classification

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Further information

Product:

Remarks : Information given is based on data on the components and

the toxicology of similar products.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 472

Version Revision Date: Date of last issue: 10.10.2024 Print Date: 2.9 Date of first issue: 13.06.2016 Print Date: 18.02.2025

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : Remarks: Harmful to aquatic organisms, may cause long-term

adverse effects in the aquatic environment.

Toxicity to daphnia and other :

aquatic invertebrates

Remarks: No data available

Toxicity to algae/aquatic

plants

Remarks: No data available

Toxicity to microorganisms

Remarks: No data available

Components:

White mineral oil (petroleum):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h Test Type: semi-static test

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

NOEC (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms : LC50 (Bacteria): > 1.000 mg/l

Exposure time: 40 h

Test Type: Growth inhibition

Toxicity to fish (Chronic

toxicity)

NOEC: > 100 mg/l

Exposure time: 28 d

Species: Oncorhynchus mykiss (rainbow trout)

Remarks: The value is given based on a SAR/AAR approach

using OECD Toolbox, DEREK, VEGA QSAR models

(CAESAR models), etc.

Toxicity to daphnia and other :

aquatic invertebrates

(Chronic toxicity)

NOEC: >= 1.000 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Remarks: The value is given based on a SAR/AAR approach

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 472

VersionRevision Date:Date of last issue: 10.10.2024Print Date:2.910.02.2025Date of first issue: 13.06.201618.02.2025

using OECD Toolbox, DEREK, VEGA QSAR models

(CAESAR models), etc.

disodium sebacate:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l

Exposure time: 96 h
Test Type: semi-static test

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h
Test Type: semi-static test

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic

plants

EL50 (Skeletonema costatum (marine diatom)): 38,7 mg/l

Exposure time: 72 h Test Type: static test Method: ISO 10253

GLP: yes

N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 0,43 mg/l

Exposure time: 96 h

Test Type: flow-through test Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,43 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): 6,3 mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

NOEC (Desmodesmus subspicatus (green algae)): 0,91 mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

M-Factor (Acute aquatic

toxicity)

: 1

Toxicity to microorganisms : NOEC (activated sludge): 10 mg/l

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 472

Version Revision Date: Date of last issue: 10.10.2024 Print Date: 2.9 Date of first issue: 13.06.2016 Print Date: 18.02.2025

Exposure time: 3 h
Test Type: static test

Method: OECD Test Guideline 209

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

2,6-di-tert-butyl-p-cresol:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 0,57 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,61 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): > 0,4 mg/l

Exposure time: 72 h

Method: Regulation (EC) No. 440/2008, Annex, C.3

M-Factor (Acute aquatic

toxicity)

: 1

Toxicity to daphnia and other :

aquatic invertebrates

(Chronic toxicity)

NOEC: 0,316 mg/l

Exposure time: 21 d

Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic

toxicity)

: 1

Dec-1-ene, homopolymer, hydrogenated:

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): > 1.000 mg/l

Exposure time: 96 h Test Type: semi-static test

Toxicity to daphnia and other :

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): > 1.000 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic

plants

EL50 (Selenastrum capricornutum (green algae)): > 1.000

mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 472

Version Date of last issue: 10.10.2024 **Revision Date:** Print Date: 10.02.2025 18.02.2025 2.9 Date of first issue: 13.06.2016

Toxicity to daphnia and other : NOELR: 125 mg/l

aquatic invertebrates Exposure time: 21 d

(Chronic toxicity) Species: Daphnia magna (Water flea)

Test Type: semi-static test

Method: OECD Test Guideline 211

GLP: yes

White mineral oil (petroleum):

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

> Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia (water flea)): > 100 mg/l

Exposure time: 48 h Test Type: Immobilization

NOEC: >= 1.000 mg/l

Method: OECD Test Guideline 202

Toxicity to daphnia and other :

aquatic invertebrates

Exposure time: 21 d

(Chronic toxicity) Species: Daphnia magna (Water flea)

12.2 Persistence and degradability

Product:

Biodegradability Remarks: No data available

Physico-chemical

removability

Remarks: No data available

Components:

White mineral oil (petroleum):

Biodegradability Biodegradation: 31 %

Exposure time: 28 d

disodium sebacate:

Biodegradability Result: Biodegradable

> Biodegradation: 89 % Exposure time: 28 d

N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:

Biodegradability Test Type: aerobic

> Inoculum: activated sludge Result: rapidly biodegradable Biodegradation: 85,2 %

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 472

Version Revision Date: Date of last issue: 10.10.2024 Print Date: 2.9 Date of first issue: 13.06.2016 Print Date: 18.02.2025

Exposure time: 28 d

2,6-di-tert-butyl-p-cresol:

Biodegradability : Test Type: aerobic

Inoculum: activated sludge Result: Not rapidly biodegradable

Biodegradation: 4,5 % Exposure time: 28 d

Method: OECD Test Guideline 301C

Dec-1-ene, homopolymer, hydrogenated:

Biodegradability : Result: Not readily biodegradable.

White mineral oil (petroleum):

Biodegradability : Test Type: Primary biodegradation

Inoculum: activated sludge Result: Not rapidly biodegradable

Biodegradation: 31 % Exposure time: 28 d

Method: OECD Test Guideline 301B

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

Components:

White mineral oil (petroleum):

Partition coefficient: n-

octanol/water

log Pow: > 6

disodium sebacate:

Partition coefficient: n- : log Pow: -4,9 (20 °C)

octanol/water pH: 7,8

N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:

Partition coefficient: n-

octanol/water

: log Pow: 6,83

2,6-di-tert-butyl-p-cresol:

Bioaccumulation : Bioconcentration factor (BCF): 598,4

Partition coefficient: n-

octanol/water

log Pow: 5,1



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 472

Version Revision Date: Date of last issue: 10.10.2024 Print Date: 2.9 Date of first issue: 13.06.2016 Print Date: 18.02.2025

Dec-1-ene, homopolymer, hydrogenated:

Partition coefficient: n-

octanol/water

: log Pow: 4,82 - 6,5

White mineral oil (petroleum):

Partition coefficient: n-

octanol/water

Pow: > 6

12.4 Mobility in soil

Product:

Mobility : Remarks: No data available

Distribution among :

environmental compartments

Remarks: No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

Components:

White mineral oil (petroleum):

Assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).

2,6-di-tert-butyl-p-cresol:

Assessment : Non-classified PBT substance. Non-classified vPvB substance

Dec-1-ene, homopolymer, hydrogenated:

Assessment : Non-classified PBT substance. Non-classified vPvB substance

White mineral oil (petroleum):

Assessment : Non-classified PBT substance. Non-classified vPvB substance

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 472

Version Revision Date: Date of last issue: 10.10.2024 Print Date: 2.9 Date of first issue: 13.06.2016 Print Date: 18.02.2025

(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological

information

: Harmful to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not dispose of with domestic refuse.

Dispose of as hazardous waste in compliance with local and

national regulations.

Waste codes should be assigned by the user based on the

application for which the product was used.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as

the unused product.

Dispose of waste product or used containers according to

local regulations.

The following Waste Codes are only suggestions:

Waste Code : used product, unused product

12 01 12**, spent waxes and fats

uncleaned packagings

15 01 10*, packaging containing residues of or contaminated

by hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 472

Version Revision Date: Date of last issue: 10.10.2024 Print Date: 2.9 10.02.2025 Date of first issue: 13.06.2016 18.02.2025

IATA : Not regulated as a dangerous good

14.2 UN proper shipping name

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.4 Packing group

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA (Cargo) : Not regulated as a dangerous good
IATA (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 472

Version Date of last issue: 10.10.2024 **Revision Date:** Print Date: 10.02.2025 18.02.2025 2.9 Date of first issue: 13.06.2016

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

mixtures and articles (Annex XVII)

Not applicable

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

(EU SVHC)

This product does not contain substances of very high concern

(Regulation (EC) No

1907/2006 (REACH), Article 57).

Regulation (EC) No 1005/2009 on substances that

deplete the ozone layer

(EC 1005/2009)

: Not applicable

Regulation (EU) 2019/1021 on persistent organic

pollutants (recast)

(EU POP)

Not applicable

Regulation (EU) No 649/2012 of the European

Parliament and the Council concerning the export and

import of dangerous chemicals

(EU PIC)

Not applicable

REACH - List of substances subject to authorisation

(Annex XIV)

(EU. REACH-Annex XIV)

: Not applicable

Regulation (EU) 2019/1148 on the marketing and use of : Not applicable

explosives precursors

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous

substances.

Not applicable

Water hazard class

WGK 1 slightly hazardous to water

(Germany)

Classification according to AwSV, Annex 1 (5.2)

TA Luft List (Germany) 5.2.1: Total dust:

others: 3,5 %

5.2.2: Inorganic substances in powdered form:

Not applicable

5.2.4: Inorganic substances in gaseous form:

Not applicable

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 472

Version Revision Date: Date of last issue: 10.10.2024 Print Date: 2.9 Date of first issue: 13.06.2016 Print Date: 18.02.2025

5.2.5: Organic Substances:

Class 1: 74,36 %

5.2.7.1.1: Carcinogenic substance:

Not applicable

5.2.7.1.1: Quartz fine dust PM4:

Not applicable

5.2.7.1.1: Formaldehyde:

Not applicable 5.2.7.1.1: fibres: Not applicable

5.2.7.1.2: Germ cell mutagens:

Not applicable

5.2.7.1.3: Substances toxic to reproduction:

Not applicable

5.2.7.2: Poorly degradable, easily enrichable and highly toxic

organic substances: Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: < 0,01 %

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements

H304 : May be fatal if swallowed and enters airways.

H315 : Causes skin irritation.

H318 : Causes serious eye damage. H319 : Causes serious eye irritation.

H332 : Harmful if inhaled.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.
H412 : Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

DE DFG MAK : Germany. MAK BAT Annex IIa

DE TRGS 900 : Germany. TRGS 900 - Occupational exposure limit values.

DE DFG MAK / MAK : MAK value



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 472

Version Revision Date: Date of last issue: 10.10.2024 Print Date: 2.9 Date of first issue: 13.06.2016 Print Date: 18.02.2025

DE TRGS 900 / AGW : Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - Agreement concerning the International Carriage of Dangerous Goods by Road: AIIC - Australian Inventory of Industrial Chemicals: ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture: Classification procedure:

Aquatic Chronic 3 H412 Calculation method

Relevant changes compared to the last edition are highlighted at the left margin. This version replaces all previous editions.

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 472

Version Revision Date: Date of last issue: 10.10.2024 Print Date: 2.9 Date of first issue: 13.06.2016 Print Date: 18.02.2025

other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.